

PROJECT LICENSED PROFESSIONAL CERTIFICATES

Myl. Houldto Kyle Howlett (Jun 14, 2022 12:54 PDT)	Mamelas		
Kyle Howlett	Michael Rosa		
Jun 14, 2022	Jun 14, 2022		
AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.
AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.
AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE	AS A LICENSED PROFESSIONAL IN DIRECT RESPONSIBLE CHARGE
OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.	OF DEVELOPING THIS CONTRACT, I CERTIFY THAT ALL PLANS THAT CONTAIN MY STAMP HAVE BEEN DEVELOPED UNDER MY SUPERVISION.

NOTES:

THIS PLAN SET WAS DEVELOPED ELECTRONICALLY UNDER THE DIRECT SUPERVISION OF THE LICENSED PROFESSIONALS THAT HAVE AFFIXED THEIR SIGNATURE TO THIS PAGE.

THIS SHEET SERVES AS THE CERTIFICATION BY THE ABOVE LICENSED PROFESSIONALS OF ALL SHEETS IN THIS PLAN SET WHERE THEIR STAMPS AND SIGNATURES APPEAR.

FILE NAME	P:\454302\DESIGN\2021 Design\XL 6463 Hardware L	Jpgrade\CAD_Sheets\015-CertIfIca	tlon\XL6463_PS	_CT.dgn						Plot 1
TIME	1:01:49 PM			REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF NO
DATE	5/9/2022			10 WAS	SEC164-9999(871)				1	CT1
PLOTTED BY	lundj			10 110] ` ′				SCR REGION WIDE -	
DESIGNED BY	T. DELLINGER			JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	T. DELLINGER			22Y006				9		2
CHECKED BY	T. CRANE			CONTRACT NO.	LOCATION NO.			Department of Transportation		OF
PROJ. ENGR.	J. WOOD					——————————————————————————————————————	DATE	-	CERTIFICATION SHEET	31 SHEETS
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY		P.E. STAMP BOX	P.E. STAMP BOX		OLIVIII IOATION OTILLI	SILLIS

SUMMARY OF QUANTITIES

6/14/2022

				1 1			¬ —			1	1						1	1	1		
		SUB-TOTAL *	SUB-TOTAL				GROUP 1	GROUP 2	GROUP 3	GROUP 4	GROUP 5	GROUP 6	GROUP 7	GROUP 7	GROUP 8	GROUP 8	GROUP 7	GROUP 9	GROUP 10	GROUP 11	GROUP 12
TEM	TOTAL	SECTION	SECTION	STD.		17774	I-90	I-90	I-90	I-90	I-90	I-90	I-90	I-90	I-90	I-90	1-90	SR 241	SR 240	SR 240	THIRD
NO	QUANTITY	I-07.2(1) OF	I-07.2(2) OF	ITEM NO.	UNIT	ITEM	MP 34.95 TO 41.04	MP 41.04 TO 52.61	MP 41.04 TO 52.61	MP 47.00 - MP 52.61	MP 52.61 TO 55.10	MP 52.61 TO 68.55	MP 71.34 TO 82.94	MP 84.52 TO 106.04	MP 106.04 TO 109.33	MP 109.48 TO 110.03	MP 110.03 TO 110.55	MP 7.47 TO 7.57	MP 30.63 TO 34.79	MP 42.80 TO 43.17	PARTY DAMAGES
		STANDARD	STANDARD				AESTHETIC	UPGRADE	AESTHETIC	SAFETY	UPGRADE	AESTHETIC	UPGRADE	UPGRADE	UPGRADE	UPGRADE	UPGRADE	UPGRADE	UPGRADE	UPGRADE	DAWAGEG
		SPECS	SPECS				_														
				1		PREPARATION	_		1					<u> </u>				<u> </u>			
	LUMP SUM	<u> </u>	LUMP SUM			MOBILIZATION	L.S.	L.S.	L.S.	L.S.	L.S.	L.S.	L.S.	L.S.	L.S.	L.S.		L.S.	L.S.	L.S.	
2	0.46	<u> </u> 	0.46			CLEARING AND GRUBBING	0.04	L 65.00	0.16	1 225.00	65.00	0.12	0.02	0.04	0.08	1	 	<u> </u>	<u> </u>		<u> </u>
3	443.00	<u> </u> 	443.00 39907.50	0145		REMOVING CONC. BARRIER REMOVING GUARDRAIL	2,014.50	65.00	22,500.50	225.00	65.00	3,450.00	44.50 946.50	43.50 3,457.00	6,234.00	400.00	524.50	89.00	83.00 l	208.50	
5	39907.50 131.00	<u> </u> 	131.00			REMOVING GUARDRAIL REMOVING GUARDRAIL ANCHOR	14.00		38.00	 		23.00	4.00	22.00	14.00	4.00	7.00	2.00	1.00	2.00	
6	LUMP SUM	<u> </u> 	LUMP SUM			REMOVING GUARDRAIL ANCHOR	14.00	<u> </u>] 36.00]	<u> </u>		23.00	4.00 L.S.	L.S.	L.S.	4.00 	7.00 I] 2.00]	1.00	2.00	<u> </u>
0	LOWF SOW	! 	LOINE SOIN	1 0213	L.G.	I	 	 	1	<u> </u>		<u> </u>	L.S.	I L.S.	L.O.	<u> </u>	l	1	! 		
	l	<u> </u>				GRADING	J		1					l			l	<u> </u>	I		
7	174.00	<u> </u> 	174.00	1 0310	CY	ROADWAY EXCAVATION INCL. HAUL		16.00	l I	70.00	35.00	19.00	21.00	13.00		<u> </u>	l	<u> </u> 	! 		
3	339.00	<u> </u> 	339.00	-:		EMBANKMENT COMPACTION	12.00	8.00	76.00	70.00 	6.00	41.00	20.00	100.00	60.00	6.00	7.00	<u> </u> 	<u> </u>	3.00	
)	456.00	<u>'</u> I	456.00	0-770		REMOVING SAND, VEGETATION, AND DEBRIS INCL. HAUL	20.00	1.00	234.00	37.00	0.00	71.00	11.00	66.00	81.00	5.00	1.00	<u>. </u>	<u> </u>	0.00	
	1 400.00	<u>'</u> I			J.1.		11 20.00	 	201.00	000		<u> </u>		00.00	000	<u> </u>	 	<u>. </u>	I		
	İ	İ				SURFACING			<u> </u>	<u>. </u>		<u> </u> 		<u> </u>			<u> </u>	<u>. </u>	<u> </u> 		
)	618.00	<u>.</u> İ	618.00		TON	CRUSHED SURFACING FOR GUARDRAIL WIDENING	21.00	14.00	139.00		11.00	75.00	37.00	185.00	110.00	10.00	12.00	i I	l	4.00	l
		<u>.</u> İ				· · · · · · · · · · · · · · · · · · ·											<u> </u>	İ	l		l
	İ	İ		i i		EROSION CONTROL AND ROADSIDE PLANTING	ii		İ	<u> </u>				İ			İ	İ	i		İ
1	7.00	ĺ	7.00	6471	EACH	INLET PROTECTION	ii		İ	3.00			3.00	1.00			ĺ	i	i		i
2	150.00	ĺ	150.00	6500	L.F.	COMPOST SOCK	ii	30.00	İ	100.00				20.00			ĺ	i	i		i
	5200.00	ĺ	5200.00	6490	DOL	EROSION/WATER POLLUTION CONTROL	ii i	533.33	İ	1,200.00			1,733.33	1,733.34			ĺ	i			i
1	LUMP SUM	ĺ	LUMP SUM	6418	L.S.	SEEDING	ii i	L.S.	İ	L.S.	L.S.	L.S.	L.S.	L.S.			ĺ	i			i
5	996.00	ĺ	996.00	6484	S.Y.	MEDIUM COMPOST	ii i	67.00	İ	373.00	165.00	111.00	173.00	107.00			ĺ	i			i
	ĺ	ĺ		i i					İ			İ		ĺ				İ	İ		İ
						TRAFFIC															
6	163.00		163.00	6755	EACH	BEAM GUARDRAIL BLOCK			2.00				31.00	124.00	6.00			1			
7	27703.00		27703.00	6645	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31	2,065.50	75.00	22,762.50	112.50	50.00	2,637.50						1			
8	42.00		42.00	6646	EACH	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE 21	5.00	2.00	12.00	9.00	4.00	10.00						1			
9	22.00		22.00	6647	EACH	AES. TR. BEAM GUARDRAIL ANCHOR TYPE 10	3.00		13.00			6.00						1			
0	54.00		54.00	6650	EACH	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL	7.00	2.00	19.00	9.00	4.00	13.00						1			
1	62.50		62.50	6653	L.F.	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2						62.50						<u> </u>			
2	11787.50		11787.50	6757	L.F.	BEAM GUARDRAIL TYPE 31							1,412.50	3,525.00	5,450.00	412.50	675.00	<u> </u>	75.00	237.50	
3	34.00		34.00	6760	EACH	BEAM GUARDRAIL TRANSITION SECTION TYPE 21							3.00	13.00	12.00	1.00		2.00	3.00		
4	48.00		48.00			BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL							5.00	20.00	13.00	3.00	4.00	2.00		1.00	
5	9.00		9.00			BEAM GUARDRAIL ANCHOR TYPE 10	_		<u> </u>				1.00	1.00	1.00	1.00	3.00	<u> </u>	1.00	1.00	1
3	10265.50	<u> </u>	10265.50	6783		RAISING EXISTING BEAM GUARDRAIL	_		<u> </u>				1,062.50	7,172.50	1,768.00	50.00	112.50	100.00			
7	100.00	<u> </u>	100.00	6784		REMOVING AND RESETTING EXISTING PERMANENT BARRIER	_		75.00				25.00				<u> </u>	<u> </u>			
8	210.00	<u> </u>	210.00			FLEXIBLE GUIDE POST	20.00	2.00	72.00				13.00	65.00	22.00		<u> </u>	2.00	11.00	3.00	ļ <u>ļ.</u>
9	1380.00	<u> </u>	1380.00	6993		PORTABLE CHANGEABLE MESSAGE SIGN	_		676.00				103.50	103.50			69.00	14.00	414.00		<u> </u>
)	LUMP SUM	<u> </u>	LUMP SUM	6971		PROJECT TEMPORARY TRAFFIC CONTROL	_!!		L.S.	<u> </u>			L.S.	<u> </u>			<u> </u>	L.S.		L.S.	<u> </u>
	-1.00	<u> </u>	-1.00			WSP REIMBURSEMENT	_!		-1.00	<u> </u>				<u> </u>			<u> </u>	<u> </u>			<u> </u>
-		<u> </u>	52.00			BEAM GUARDRAIL POST	2.00		<u> </u>	<u> </u>		12.00	2.00	36.00			<u> </u>	<u> </u>			<u> </u>
3		<u> </u>	25.00			GUARDRAIL TRANSITION ADAPTER PLATE	_!!		<u> </u>	<u> </u>		1.00		12.00	11.00	1.00	<u> </u>	<u> </u>			<u> </u>
4	24.00	<u> </u>	24.00	<u> </u>	EACH	RETROFIT TYPE 3 GUARDRAIL ANCHOR	_		2.00					10.00	11.00	1.00	<u> </u>	<u> </u>			
		<u> </u>		1 !					<u> </u>								<u> </u>	<u> </u>			
		<u> </u>		1 7/22 '		OTHER ITEMS			<u> </u>			400.77					<u> </u>	<u> </u>			
5		<u> </u>	400.00			TRAINING			1 5000 00			400.00		<u> </u>			<u> </u>	<u> </u>			
6	5000.00	<u> </u>	5000.00			ROADSIDE CLEANUP			5,000.00	<u> </u>				<u> </u>			<u> </u>	<u> </u>			500
7	5.00	l	5.00	7/25	DOL	REIMBURSEMENT FOR THIRD PARTY DAMAGE	11	1	1	1						1	1	l			5.00

GROUP	GROUP NUMBER	SR	CONTROL SECTION	TAX SCHEDULE	FUND PARTICIPANTS	GROUP NUMBEI	R SR	CONTROL SECTION	TAX SCHEDULE	FUND PARTICIPANTS
LEGEND	1	090	170500	**	FEDERAL AID, STATE MVA	9	241	393810	**	FEDERAL AID, STATE MVA
	2	090	170516	**	FEDERAL AID, STATE MVA	10	240	033811	**	FEDERAL AID, STATE MVA
	3	090	170516	**	FEDERAL AID, STATE MVA	11	240	030411	**	FEDERAL AID, STATE MVA
	4	090	170516	**	FEDERAL AID, STATE MVA	12	090	190116	**	STATE 3RD PARTY
	5	090	190116	**	FEDERAL AID, STATE MVA					
	6	090	190116	**	FEDERAL AID, STATE MVA					
	7	090	190200	**	FEDERAL AID, STATE MVA					
	8	090	190202	**	FEDERAL AID, STATE MVA					

		REGIO	N STATE	FEDERAL AID PROJECT. NO.		LOOFTAL	SQ1
		10	WA	SEC 164-9999(871)		I-90 ET AL	301
		'0	VVA		Washington State	SCR REGION WIDE - ROADSIDE	SHEET
			NUMBER		Department of Transportation	HARDWARE PRESERVATION	3
		22\	/006/2		Department of Transportation		OF
		CONT	RACT NO			SUMMARY OF QUANTITIES	31
DATE	REVISION B		0000				SHEETS

DOT_RGG900


SUMMARY OF QUANTITIES


6/14/2022


		SUB-TOTAL	SUB-TOTAL				GROUP 1	GROUP 2	GROUP 3	GROUP 4	GROUP 5	GROUP 6	GROUP 7	GROUP 7	GROUP 8	GROUP 8	GROUP 7	GROUP 9	GROUP 10	GROUP 11	GROUP 12	
ITEM NO	TOTAL QUANTITY	SECTION I-07.2(1) OF STANDARD SPECS	SECTION I-07.2(2) OF STANDARD SPECS	STD. ITEM NO.	UNIT	ITEM	I-90 MP 34.95 TO 41.04 AESTHETIC	I-90 MP 41.04 TO 52.61 UPGRADE	I-90 MP 41.04 TO 52.61 AESTHETIC	I-90 MP 47.00 - MP 52.61 SAFETY	I-90 MP 52.61 TO 55.10 UPGRADE	I-90 MP 52.61 TO 68.55 AESTHETIC	I-90 MP 71.34 TO 82.94 UPGRADE	I-90 MP 84.52 TO 106.04 UPGRADE	I-90 MP 106.04 TO 109.33 UPGRADE	I-90 MP 109.48 TO 110.03 UPGRADE	I-90 MP 110.03 TO 110.55 UPGRADE	SR 241 MP 7.47 TO 7.57 UPGRADE	SR 240 MP 30.63 TO 34.79 UPGRADE	SR 240 MP 42.80 TO 43.17 UPGRADE	THIRD PARTY DAMAGES	
38	-1.00		-1.00	7728	DOL	MINOR CHANGE			-1.00													
39	-1.00		-1.00	7732	DOL	AGGREGATE COMPLIANCE PRICE ADJUSTMENT			-1.00													
40	LUMP SUM		LUMP SUM	7736	L.S.	SPCC PLAN			L.S.		·											
		[1					1														


GROUP LEGEND	GROUP NUMBER 1 2 3 4 5 6 7 8	SR 090 090 090 090 090 090 090	CONTROL SECTION 170500 170516 170516 170516 190116 190116 190200 190202	TAX SCHEDULE ** ** ** ** ** ** ** ** ** **	FUND PARTICIPANTS FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA	GROUP NUMBER 9 10 11 12	SR 241 240 240 090	CONTROL SECTION 393810 033811 030411 190116	TAX SCHEDULE ** ** ** **	FUND PARTICIPANTS FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA FEDERAL AID, STATE MVA STATE 3RD PARTY
-----------------	-------------------------------	---	---	--	--	-------------------------------------	--------------------------------	---	--------------------------	--


		REGIO	STATE	FEDERAL AID PROJECT. NO.		LOOFTAL	SQ2
		10	WA	SEC 164-9999(871)		I-90 ET AL	SQZ
					Washington State	SCR REGION WIDE - ROADSIDE	SHEET
			NUMBER 1006/2		Department of Transportation	HARDWARE PRESERVATION	4
			RACT NO		·	SUMMARY OF QUANTITIES	OF 31
DATE	REVISION		0000			COMMUNICI OF GOVERNMENT	SHEETS














														I-90	QUAN	NTITY	TABL	JLATIC	NS											
	IOC	ATION		REMOVING CONC. BARRIER	REMOVING GUARDRAIL	REMOVING GUARDRAIL ANCHOR	REMOVING SAND, VEGETATION, AND DEBRIS INCL. HAUL	ROADWAY EXCAVATION INCL. HAUL	CRUSHED SURFACING FOR GUARDRAIL WIDENING	INLET PROTECTION	COMPOST SOCK	MEDIUM COMPOST	BEAM GUARDRAIL BLOCK	AES. TR. BEAM GUARDRAIL TYPE 31	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE 21	AES. TR. BEAM GUARDRAIL ANCHOR TYPE 10	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2	BEAM GUARDRAIL TYPE 31	BEAM GUARDRAIL TRANSITION SECTION TYPE 21	BEAM GUARDRAIL TYPE 31 NON- FLARED TERMINAL	BEAM GUARDRAIL ANCHOR TYPE 10	RAISING EXISTING BEAM GUARDRAIL	REMOVING AND RESETTING EXISTING PERMANENT BARRIER	FLEXIBLE GUIDE POST	BEAM GUARDRAIL POST	GUARDRAIL TRANSITION ADAPTER PLATE	RETROFIT TYPE 3 GUARDRAIL ANCHOR	GENERAL NOTES	
MAINLINE MP	RUN No.	SIDE *	DIRECTION	L.F.	L.F.	EACH	C.Y.	C.Y.	TON	EACH	L.F.	S.Y.	EACH	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	EACH		GENERAL NOTES
36.25	A7-1	RT	EB		237.5	2	4		11					362.5		1	1	1							2				3,4,5	1. SEE STANDARD PLAN C-1
36.43	A7-2	RT	EB		290.5	2	4		4					375.0		1	1								1				3,4,5	2. SEE STANDARD PLAN C-1b
36.53	A7-3	RT	EB			1											1								4				4	3. SEE STANDARD PLAN C-20.10
36.56	A7-4	LT	EB		337.5	2								237.5	1		1												3,4,6	4. SEE STANDARD PLAN C-22.40
36.75	A7-5	LT	WB		322.5	1	4							387.5	1		1								5				3,4,6	5. SEE STANDARD PLAN C-23.60
37.71	A7-6	RT	WB		296.0	2	4							325.0	1	1									5				3,5,6,8	6. SEE STANDARD PLAN C-25.20
37.81	A7-7	RT	WB		287.5	2	2		7					200.0	1		1								3				3,4,6,8	7. SEE STANDARD PLAN C-25.80
38.92	A7-8	RT	WB		243.0	2	2							175.0	1		1									2			2,3,4,6,8	8. SEE STANDARD PLAN C-24.10
41.17	A7-9	RT	EB		4075.0	1	44							4040.5	1										26				3,6,7	9. GUARDRAIL TRANSITION
42.70	A7-10	RT	EB		3800.0	1	42							3800.0		1									19				3,5,7	ADAPTER PLATE: SEE SPECIAL
42.91	A7-11	RT	WB	32.5		_	1	8	8			27		50.0	1		1												3,4,6	PROVISION AND PLAN SHEET BA1.
44.57	A7-12	LT	WB		2938.5	2	32		7					2937.5		1	1												3,4,5	10. RETROFIT TYPE 3 GUARDRAIL
45.42	A7-13	RT	EB		450.0	1	7		5					675.0	1		1								3				3,4,6	ANCHOR: SEE SPECIAL PROVISION
45.52	A7-14	LT	WB		501.0	2	5							437.5	1	1													3,5,6,8	AND PLAN SHEETS TB1 AND TB2.
45.54	A7-15	RT	EB		526.0	2	5							475.0	1	1	1								3			1	3,5,6,8	11. ALL RAISED GUARDRAIL WILL
45.61 45.62	A7-16 A7-17	RT LT	WB WB		227.0 211.0	2	3		9					175.0 275.0	1		1 1											1	3,4,6,8 3,4,6,8	BE FIELD LOCATED BY THE ENGINEER.
45.85	A7-17 A7-18	RT	EB		3537.5	2	39		12					3562.5		1	1								17			1	3,4,6,8	lengineer.
46.16	A7-18 A7-19	LT	EB		273.5	2	5		9					412.5		1	1								1/				3,4,5	* SIDE IS DETERMINED BY THE
46.28	A7-13	RT	WB		300.0	2	1		6					262.5		1	1												3,4,5	DIRECTION OF TRAVEL.
46.43	A7-21	LT	WB		3223.5	2	35.34		8					3212.5		1	1												3,4,5	J SINCE TION OF THE VEEL
46.69	A7-22	LT	WB		843.5	2	10		18					937.5		1	1												3,4,5	1
46.72	A7-23	RT	WB	32.5				8	6		30	40		25.0	1		1								2				3,4,6,8	1
46.75	A7-24	RT	EB		75.0	2	1							100.0		1	1								2				3,4,5	1
46.76	A7-25	LT	EB		12.5	2	0		12					37.5		1	1												3,4,5]
46.93	A7-26	RT	WB		72.5	2	2							137.5		1	1												3,4,5]
46.96	A7-27	RT	EB		134.0	2	1		5					125.0		1	1								2				3,4,5]
47.19	A7-28	RT	EB		162.5									162.5															3	
47.68	A7-29	LT	EB		112.5	2								12.5	1		1												3,4,6,8]
48.52	A7-31	LT	EB	25.0				5				56		12.5	1		1												3,4,6,8	
48.64	A7-32	RT	EB	25.0				10		1	40	61		12.5	1		1												3,4,6,8	
48.92	A7-34	LT	EB	25.0				5			20	36		12.5	1		1	1											3,4,6,8	
49.25	A7-35	LT	EB	25.0				10				44		12.5	1		1												3,4,6,8	
49.31	A7-36	RT	WB		150.0	1								300.0	1		1												3,4,6,8	
49.38	A7-37	LT	WB	25.0				10				27		12.5	1		1	-											3,4,6,8	
49.45	A7-38	RT	EB	25.0	205			10	4	1	40	18	-	12.5	1		1 1			_	_		0.5		-	-	_		3,4,6,8	
			SHEET TOTAL	215.0	23640.0	48	254	66	126	2	130	309	0	24290.5	21	16	30	0.0	0.0	0	0	0	0.0	0.0	94	2	0	2		

FILE NAME	P:\454302\DESIGN\2021 Desig	n\XL 6463 Hardware Upgrade\CAD_Sheets\090-Quantitle	s\XL6463-QT	ab.dgn	1						Plot 1
TIME	6:29:47 AM				REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF NO
DATE	6/2/2022				10 WASH	SEC164-9999(871)					Δ7
PLOTTED BY	lundj				IU WASI]				SCR REGION WIDE -	_ ^'
DESIGNED BY	G. THOMPSON				JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON				22Y006				9		11
CHECKED BY	C. BUCKNELL				CONTRACT NO.	LOCATION NO.			Department of Transportation		OF
PROJ. ENGR.	J. WOOD						DATE	DATE	-	SECTION 1(I-90) QUANTITY TABS	31 SHEETS
REGIONAL ADM	T. TREPANIER	REVISION	DATE	BY	1		P.E. STAMP BOX	P.E. STAMP BOX			SILLIS

														I-90	QUAN	ITITY	TABL	JLATIC	ONS											
	IOC	ATION		REMOVING CONC. BARRIER	REMOVING GUARDRAIL	REMOVING GUARDRAIL ANCHOR	REMOVING SAND, VEGETATION, AND DEBRIS INCL. HAUL	ROADWAY EXCAVATION INCL. HAUL	CRUSHED SURFACING FOR GUARDRAIL WIDENING	INLET PROTECTION	COMPOST SOCK	MEDIUM COMPOST	BEAM GUARDRAIL BLOCK	AES. TR. BEAM GUARDRAIL TYPE 31	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE 21	AES. TR. BEAM GUARDRAIL ANCHOR TYPE 10	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2	BEAM GUARDRAIL TYPE 31	BEAM GUARDRAIL TRANSITION SECTION TYPE 21	BEAM GUARDRAIL TYPE31 NON- FLARED TERMINAL	BEAM GUARDRAIL ANCHOR TYPE 10	RAISING EXISTING BEAM GUARDRAIL	REMOVING AND RESETTING EXISTING EXISTING PERMANENT BARRIER	FLEXIBLE GUIDE POST	BEAM GUARDRAIL POST	GUARDRAIL TRANSITION ADAPTER PLATE	RETROFIT TYPE 3 GUARDRAIL ANCHOR	GENERAL NOTES	
MAINLINE MP	LINE	SIDE *	DIRECTION	L.F.	L.F.	EACH	C.Y.	C.Y.	TON	EACH	L.F.	S.Y.	EACH	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	EACH		GENERAL NOTES
49.58	A8-1	LT	EB	25.0				15		1		75		12.5	1		1												3,4,6,8	1. SEE STANDARD PLAN C-1
50.27	A8-1 A8-2	LT	WB	23.0	112.5	1		15	13			,,,		12.5	1		1												3,4,6,8	2. SEE STANDARD PLAN C-1b
51.32	A8-2	RT	WB		112.5	1			9					150.0	1		1							45.0					3,4,6,8	3. SEE STANDARD PLAN C-20.10
51.64	A8-4	RT	EB	25.0				5				56		12.5	1		1							15.0					3,4,6,8	4. SEE STANDARD PLAN C-22.40
51.64	A8-5	LT	WB		100.0	1			27					75.0	1		1							30.0					3,4,6,8	5. SEE STANDARD PLAN C-23.60
52.06	A8-6	RT	WB	25.0			37							12.5	1		1												3,4,6,8	6. SEE STANDARD PLAN C-25.20
52.40	A8-7	RT	WB		550.0	1							2	450.0	1		1												3,4,6,8	7. SEE STANDARD PLAN C-25.80
52.96	A8-8	RT	EB		112.5	2			14					12.5	1		1										1		3,4,6,8,9	8. SEE STANDARD PLAN C-24.10
53.09	A8-9	RT	WB		62.5									62.5	1		1												3,4,6,8	9. GUARDRAIL TRANSITION
53.23	A8-10	RT	EB	12.5				15	3			33		12.5	1		1												3,4,6,8	ADAPTER PLATE: SEE SPECIAL
53.29	A8-11	RT	WB	20.0				15	3			76		12.5	1		1												3,4,6,8	PROVISION AND PLAN SHEET BA1.
54.16	A8-12	RT	EB		87.5	1			5					12.5	1		1												3,4,6,8	10. RETROFIT TYPE 3 GUARDRAIL
54.63	A8-13	RT	WB	20.0				5	5			56		12.5	1		1												3,4,6,8	ANCHOR: SEE SPECIAL PROVISION
54.65	A8-14	RT	EB		75.0	1		9	8			67		12.5	1		1												3,4,6,8	AND PLAN SHEETS TB1 AND TB2.
54.84	A8-15	RT	EB	12.5										12.5	1		1												3,4,6,8	11. ALL RAISED GUARDRAIL WILL
61.90	A8-16	RT	WB		112.5	2								12.5	1		1												3,4,6,8	BE FIELD LOCATED BY THE
62.28	A8-17	LT	EB		237.5	2			8					187.5		1	1												3,4,5	ENGINEER.
62.69	A8-18	RT	EB		275.0	2								175.0		1	1									8			2,3,4,5	1
62.96	A8-19	LT	EB		112.5	2			9					50.0	1	1	1												3,4,5,6	* SIDE IS DETERMINED BY THE
62.97	A8-20	RT	EB		75.0	2			11					50.0	1	1	1												3,4,5,6	DIRECTION OF TRAVEL.
63.38	A8-21	RT	EB		1850.0	2								1787.5		1	1									4			2,3,4,5	1
63.97	A8-22	LT	EB		112.5	2			9					37.5	1		1												3,4.6	4
63.98	A8-23	RT	EB		137.5	2			7					62.5	1	_	1	+											3,4,6	4
64.07	A8-24	RT	WB		125.0	2		4.0						62.5		1		62.5											3,5	-
64.20	A8-25	RT	EB		75.0	1		10	5			44		112.5	1		1		F7F 0	1					2				3,4,6,8	-
71.43	A8-26	RT RT	WB	27.5	570.0		6	0	10	2		C4							575.0		1				2				3,6	-
79.14	A8-27		WB	37.5				9	16	2		64							250.0	1				25.0					3,4,6,8	1
79.22 80.32	A8-28 A8-29	LT RT	WB WB	7.0	62.5	1		12	12	1		109	1					+	150.0 62.5	1	1 1		50.0	25.0			 		3,4,6,8 1,2,3,4,7,11	- I
80.32	A8-29 A8-30	RT	WB		76.5	2			+ 4				<u> </u>					+	125.0		1	1	50.0		1				3,4,5	1
80.86	A8-31	RT	EB		187.5								25						187.5		+ -	1	612.5		8	2	 		1,2,3,11	1
82.28	A8-31 A8-32	RT	WB		50.0	1	5		4				5					+	62.5		1		400.0		2				1,2,3,4,7,11	1
86.20	A8-33	RT	WB		175.0		4		1				18					+	175.0		+ -		391.0		2				1,2,3,11	1
86.65	A8-34	RT	WB		214.5	1	10						15						212.5				912.5		7	2			1,2,3,11	† l
86.69	A8-35	RT	EB				5						2					+	212.5				469.0		2	1			1,2,11	1 I
87.98	A8-36	LT	EB		62.5		<u> </u>						7						62.5				105.0		1	7			2,3	1
88.28	A8-37	RT	EB		611.5	2	8		10				<u> </u>						700.0		1	1			4	<u> </u>			3,4,5	1
89.78		RT	WB		106.5	2	3												250.0		1				2				3,4,6	1
			SHEET TOTAL	184.5		36	79	95	182	4	0	580	75	3412.5	21	6	24	62.5			7	2	2835.0	100.0	31	24	1	0	, ,	

FILE NAME	P:\454302\DESIGN\2021 Design\XL 64	63 Hardware Upgrade\CAD_Sheets\090-Quant	titles\XL6463-QTa	ab.dgn								Plot 2
TIME	6:29:51 AM			R	REGION STATE	FED.AID PROJ.NO.					I-90 ET AL	PLAN REF NO
DATE	6/2/2022				10 WASH	SEC164-9999(871)						Δ8
PLOTTED BY	lundj				IU WASI] '					SCR REGION WIDE -	_ ^0
DESIGNED BY	G. THOMPSON				JOB NUMBER					Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON				22Y006					3	NOADSIDE HANDWAKE I KESEKVATION	12
CHECKED BY	C. BUCKNELL				CONTRACT NO.	LOCATION NO.				Department of Transportation		OF OF
PROJ. ENGR.	J. WOOD						DATE	_	DATE	-	SECTION 1(I-90) QUANTITY TABS	31 SHEETS
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			P.E. STAMP BOX	P.E. STAMP BOX	DATE			SILLIS

														I-90	QUAN	ITITY	TABU	LATIO	NS											
	LOCA	ATION		REMOVING CONC. BARRIER	REMOVING GUARDRAIL	REMOVING GUARDRAIL ANCHOR	REMOVING SAND, VEGETATION, AND DEBRIS INCL. HAUL	ROADWAY EXCAVATION INCL. HAUL	CRUSHED SURFACING FOR GUARDRAIL WIDENING	INLET PROTECTION	COMPOST SOCK	MEDIUM COMPOST	BEAM GUARDRAIL BLOCK	AES. TR. BEAM GUARDRAIL TYPE 31	AES. TR. BEAM GUARDRAIL TRANSITION SECTION TYPE 21	AES. TR. BEAM GUARDRAIL ANCHOR TYPE 10	AES. TR. BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL	AES. TR. BEAM GUARDRAIL TYPE 31 BURIED TERMINAL TYPE 2	BEAM GUARDRAIL TYPE 31	BEAM GUARDRAIL TRANSITION SECTION TYPE 21	BEAM GUARDRAIL TYPE 31 NON- FLARED TERMINAL	BEAM GUARDRAIL ANCHOR TYPE 10	RAISING EXISTING BEAM GUARDRAIL	REMOVING AND RESETTING EXISTING PERMANENT BARRIER	FLEXIBLE GUIDE POST	BEAM GUARDRAIL POST	GUARDRAIL TRANSITION ADAPTER PLATE	RETROFIT TYPE 3 GUARDRAIL ANCHOR	GENERAL NOTES	
MAINLINE MP	LINE	SIDE *	DIRECTION	L.F.	L.F.	EACH	C.Y.	C.Y.	TON	EACH	L.F.	S.Y.	EACH	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	L.F.	L.F.	EACH	EACH	EACH	EACH		GENERAL NOTES
90.34	A9-1	LT	WB																							1			2	1. SEE STANDARD PLAN C-1
92.12	A9-2	RT	EB		87.5	1	3		9				7						100.0		1		237.5		3	8			1,2,3,4,7,11	2. SEE STANDARD PLAN C-1b
93.66	A9-3	RT	WB		150.0	1	1		7				2						100.0		1		87.5						1,2,4,7,11	3. SEE STANDARD PLAN C-20.10
95.93	A9-4	LT	EB	43.5				13	9	1	20	107				1			62.5	1	1							1	2,3,4,6	4. SEE STANDARD PLAN C-22.40
96.01	A9-5	RT	WB				1						11										87.5						1,2,7,11	5. SEE STANDARD PLAN C-23.60
96.96	A9-6	RT	WB		50.0	1	1		8				6						62.5		1		275.0			1			1,2,3,4,7,11	6. SEE STANDARD PLAN C-25.20
97.34	A9-7	LT	WB		62.5	1	1		10				5						25.0	1	1		162.5		4		1	1	1,2,4,6,7,8,9,10,11	7. SEE STANDARD PLAN C-25.80
97.39	A9-8	RT	WB		412.0	1	4		20										562.5	1	1	0			3		1	1	2,3,4,6,8,9,10	8. SEE STANDARD PLAN C-24.10
97.70	A9-9	RT	WB		100.0	1	4		10				6						100.0		1		412.5		4	5			1,2,3,4,7,11	9. GUARDRAIL TRANSITION
100.56	A9-10	RT	WB		200.0	1	1		9				0						162.5	1	1				2		1	1	2,3,4,6,8,9,10	ADAPTER PLATE: SEE SPECIAL
100.57	A9-11	LT	WB		225.0	1			10				0						162.5	1	1				2		1	1	2,3,4,6,8,9,10	PROVISION AND PLAN SHEET BA1.
101.07	A9-12	RT	WB		50.0	1			6										62.5		1								2,3,4	10. RETROFIT TYPE 3 GUARDRAIL
102.31	A9-13	RT	EB		125.0		0						5						75.0	1			537.5		4		1	1	1,2,3,6,7,8,9,10,11	ANCHOR: SEE SPECIAL PROVISION
102.48	A9-14	RT	WB		87.5	1	1		10				4			1			50.0	1	1		112.5		2	2	1	1		AND PLAN SHEETS TB1 AND TB2.
103.01	A9-15	RT	EB		75.0	1	2		12				2						37.5	1	1		137.5		2		1		1,2,3,4,6,7,8,9,11	11. ALL RAISED GUARDRAIL WILL
103.14	A9-16	LT	EB		62.5	1	0		11				1						25.0		1		325.0		3		1		 	BE FIELD LOCATED BY THE
103.20	A9-17	LT	WB		325.0	1	0		6										300.0	1	1						1	1	2,3,4,6,8,9,10	ENGINEER.
103.25	A9-18	RT	WB		112.5	1	2		7				12						125.0	1	1		212.5		5	9	1	1	1,2,3,4,6,7,8,9,10,11	
104.12	A9-19	RT	EB		62.5	1	15		10				15						75.0		1		2537.5		6		1	1	1,2,3,4,6,7,8,9,10,11	* SIDE IS DETERMINED BY THE
104.83	A9-20	LT	WB		50.0	1	0		11				_						62.5	1	1				4		1	1	2,3,4,6,8,9,10	DIRECTION OF TRAVEL.
105.57	A9-21	RT	WB		50.0	1	2	-	12				6						75.0		1	_	275.0		3				1,2,3,4,7,11	
106.33	A9-22	RT	EB		3560.0	2	39	-	6										3562.5		1	1			15			<u> </u>	1,3,4,5,11	
107.36	A9-23	RT	EB		151.0	1	4	-	4										50.0	1	1		325.0				1	1	1,3,4,6,7,8,9,10,11	
107.37	A9-24	LT	EB		287.5	1	4	-	4										237.5	1	1						1	1	3,4,6,8,9,10	
107.52	A9-25	LT	WB		287.5	1	4	-	4										237.5	1	1		440 -				1	1	3,4,6,8,9,10	
107.53	A9-26	RT	WB		75.0	1	1	-	21				6						25.0	1	1		112.5				1	1	1,3,4,6,7,8,9,10,11	
108.12	A9-27	RT LT	EB		146.0	1	4	-	4										50.0 237.5	1	1 1		831.5				1	1	1,3,4,6,7,8,9,10,11	1
108.25 108.41	A9-28 A9-29	LT	EB WB		287.5 300.0	1	3	-	40										237.5	1	1				2		1	1	3,4,6,8,9,10	1
108.41		RT			113.5			-								1			50.0	1	1		250.0		2		1	1	3,4,6,8,9,10 1,3,4,6,7,8,9,10,11	
109.06	A9-30 A9-31	RT	EB		163.5	1	4		4										50.0		1		249.0		5		1	1	1,3,4,6,7,8,9,10,11	
109.06	A9-31 A9-32	LT	EB		287.5	1	4		4										237.5		1		243.0				1	1	3,4,6,8,9,10	
109.07	A9-32	LT	WB		287.5	1	4		4										237.5		1								3,4,6	
109.30	A9-34	LT	EB		287.5	1	4		4										237.5		1						1	1	3,4,6,8,9,10	
109.48	A9-35	LT	WB		287.5	1	4		4										237.5		1						1	1	3,4,6,8,9,10	
109.88	A9-36	LT	EB		50.0	1	1		2										62.5		1		50.0					<u> </u>	1,3,4,7,11	1
109.89	A9-37	RT	EB		62.5	2			4										112.5		1	1	30.0						3,4,5	
110.11	A9-38	LT	WB		82.0	2			2										112.5		1	1							3,4,5	
110.11	A9-39	RT	WB		80.0	2			2										112.5		1	1							3,4,5	
110.41	A9-40	RT	WB		212.5	2			6										300.0		1	1							3,4,5	
110.55	A9-41	RT	WB		150.0	1	1		2										150.0		1		112.5						1,3,4,7,11	
			SHEET TOTAL	43.5		42	123	13	306	1	20	107	88	0.0	0	0	0	0.0	8662.5		38	5	7330.5		69	26	24	22		1
			OJECT TOTAL				456	174	614	7	150	996		27703.0	-	22	54		11475.0	29	45		10165.5		194	52	25	24		1
				5.0	35527.55			-,-							7-				,5.0				20203.3			J			I.	

NOTE: 1. SEE PLAN SHEETS B1 AND C1 FOR SR 241 AND AND SR 240 QUANTITIES.

FILE NAME	P:\454302\DESIGN\2021 DesIgn\XL 6463 Hardware Upgrade\CAD_Sheets\090-Quantiti	es\XL6463-QTa	ab.dgn							Plot 3
TIME	6:29:56 AM			REGION STATE	FED.AID PROJ.NO.	1			I-90 ET AL	PLAN REF NO
DATE	6/2/2022			10 WAS	SEC164-9999(871)					A9
PLOTTED BY	lundj			10 10					SCR REGION WIDE -	
DESIGNED BY	G. THOMPSON			JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON			22Y006				3		13
CHECKED BY	C. BUCKNELL			CONTRACT NO.	LOCATION NO.			Department of Transportation		OF_
PROJ. ENGR.	J. WOOD					DATE	DATE	_	SECTION 1(I-90) QUANTITY TABS	31 SHEETS
REGIONAL ADM.	T. TREPANIER REVISION	DATE	BY			P.E. STAMP BOX	P.E. STAMP BOX			SHEETS

				ECTION 1 5.25 TO MP 110.55						ECTION 1 5.25 TO MP 110.55						ECTION 1 6.25 TO MP 110.55	
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER	BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER	BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	
36.21	36.21	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.50	39.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.98	40.98	RT	BURIED	POWER CABLE	\top
36.21	36.47	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.50	39.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.98	41.18	RT	BURIED	POWER CABLE	\top
36.47	36.47	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.50	39.50	RT	AERIAL	POWER CABLE	PUGET SOUND ENERGY	41.17	41.17	RT	BURIED	POWER CABLE	\top
36.47	36.73	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.56	39.56	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	41.18	41.18	RT	BURIED	POWER CABLE	
36.73	36.73	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.56	39.57	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	41.18	41.47	RT	BURIED	POWER CABLE	
36.73	36.94	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.57	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	41.47	41.76	RT	BURIED	POWER CABLE	
36.94	36.94	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.57	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	41.76	41.76	RT	BURIED	POWER CABLE	
36.94	37.19	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	41.76	42.02	RT	BURIED	POWER CABLE	T
37.14	37.14	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.69	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	42.02	42.02	RT	BURIED	POWER CABLE	Т
37.19	37.19	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.57	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	42.02	42.29	RT	BURIED	POWER CABLE	T
37.34	37.34	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.57	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	42.10	42.29	LT	BURIED	TELECOMM. FACILITY	
37.34	37.34	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.83	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	42.25	42.25	LT	BURIED	POWER CABLE	
37.34	37.34	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.59	X-ING	BURIED	TELECOMM. FACILITY	CENTURYTEL	42.28	42.28	LT	BURIED	POWER CABLE	
37.34	37.65	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.57	39.68	X-ING	BURIED	TELECOMM. FACILITY	MCI	42.28	42.25	LT	BURIED	POWER CABLE	
37.65	37.65	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.59	39.69	LT	BURIED	TELECOMM. FACILITY	AT&T CORP.	42.29	42.29	RT	BURIED	POWER CABLE	
37.65	37.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.59	39.69	LT	BURIED	TELECOMM. FACILITY	CENTURYTEL	42.29	42.28	X-ING	BURIED	POWER CABLE	
37.75	37.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.59	39.62	X-ING	BURIED	TELECOMM. FACILITY	AT&T CORP.	42.29	42.50	RT	BURIED	POWER CABLE	
37.75	37.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.59	39.69	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.	42.29	42.29	X-ING	BURIED	TELECOMM. FACILITY	
37.75	37.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.59	39.59	LT	BURIED	TELECOMM. FACILITY	AT&T CORP.	42.29	42.29	X-ING	BURIED	TELECOMM. FACILITY	Т
37.75	37.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.64	39.66	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	42.50	42.50	RT	BURIED	POWER CABLE	
37.75	37.78	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.64	39.85	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	42.50	42.76	RT	BURIED	POWER CABLE	
37.78	37.78	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.76	39.76	X-ING	AERIAL	POWER CABLE	BONNEVILLE POWER	42.76	42.76	RT	BURIED	POWER CABLE	
37.78	38.06	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.77	39.77	X-ING	AERIAL	POWER CABLE	BONNEVILLE POWER	42.76	43.03	RT	BURIED	POWER CABLE	
38.06	38.06	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.78	39.78	X-ING	AERIAL	POWER CABLE	BONNEVILLE POWER	43.03	43.03	RT	BURIED	POWER CABLE	
38.06	38.06	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.83	39.83	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	43.03	43.28	RT	BURIED	POWER CABLE	
38.32	38.32	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.83	40.07	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	43.28	43.28	RT	BURIED	POWER CABLE	
38.32	38.59	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.85	39.88	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	43.28	43.54	RT	BURIED	POWER CABLE	
38.58	39.34	LT	BURIED	TELECOMM. FACILITY	CENTURYTEL	39.88	39.91	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	43.54	43.54	RT	BURIED	POWER CABLE	
38.59	38.59	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.89	39.92	LT	BRIDGE	TELECOMM. FACILITY	CENTURYTEL	43.54	43.80	RT	BURIED	POWER CABLE	
38.59	38.85	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.91	40.07	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	43.80	43.80	RT	BURIED	POWER CABLE	Т
38.85	38.85	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	39.92	40.33	LT	BURIED	TELECOMM. FACILITY	CENTURYTEL	43.80	44.08	RT	BURIED	POWER CABLE	\Box
38.85	39.11	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.07	40.07	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.08	44.08	RT	BURIED	POWER CABLE	
38.97	39.50	RT	OTHER	POWER CABLE	SOUTH FORK II, INC.	40.07	40.33	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.08	44.35	RT	BURIED	POWER CABLE	
39.11	39.11	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.07	40.17	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	44.35	44.35	RT	BURIED	POWER CABLE	Т
39.11	39.39	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.17	40.35	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	44.35	44.48	RT	BURIED	POWER CABLE	Т
39.34	39.42	LT	BRIDGE	TELECOMM. FACILITY	CENTURYTEL	40.33	40.33	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.48	44.48	RT	BURIED	POWER CABLE	
39.39	39.39	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.33	40.65	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.48	44.59	RT	AERIAL	POWER CABLE	
39.39	39.56	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.65	40.65	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.59	44.59	RT	BURIED	POWER CABLE	
39.42	39.89	LT	BURIED	TELECOMM. FACILITY	CENTURYTEL	40.65	40.89	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.59	44.86	RT	BURIED	POWER CABLE	
39.50	39.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.89	40.89	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.86	44.86	RT	BURIED	POWER CABLE	
39.50	39.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	40.89	40.98	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	44.86	45.14	RT	BURIED	POWER CABLE	

NOTE: 1. CONTRACTOR SHALL CONFIRM UTILITY LOCATIONS PRIOR TO WORK. THIS IS FOR INFORMATION PURPOSES ONLY.

FILE NAME	P:\454302\DESIGN\2021 Desi	gn\XL 6463 Hardware Upgrade\CAD_Sheets\190-UtIIDets\\	Jtility_Facille	es.dgn							Plot 1
TIME	9:41:32 AM				REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF
DATE	6/2/2022				10 WASH	SEC164-9999(871)					A10
PLOTTED BY	lundj				10 WASI]				SCR REGION WIDE -	
DESIGNED BY	G. THOMPSON				JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON				22Y006				3		14
CHECKED BY	C. BUCKNELL				CONTRACT NO.	LOCATION NO.			Department of Transportation		OF.
PROJ. ENGR.	J.WOOD						DATE	DATE		I-90 UTILITY LOCATIONS	31 SHEETS
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			P.E. STAMP BOX	P.E. STAMP BOX			I SILLING

OWNER/

HOLDER

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

CENTURYTEL

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

CENTURYTEL

LEVEL 3 COMM. LLC

PUGET SOUND ENERGY
PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

PUGET SOUND ENERGY

				ECTION 1 5.25 TO MP 110.55						ECTION 1 6.25 TO MP 110.55				
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER	BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER	BEGIN MP	END MP	
45.14	45.14	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	51.97	51.97	UNKOWN	BURIED	MISC.	OTHER	56.90	57.09	T
45.14	45.53	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	51.99	52.26	RT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	57.09	57.24	T
45.50	45.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.18	52.26	X-ING	BURIED	TELECOMM. FACILITY	PASSCOM CABLE LLC	57.24	57.24	
45.50	45.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.73	52.83	RT	BURIED	TELECOMM. FACILITY	CENTURYTEL	57.24	57.38	
45.50	45.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.76	52.76	UNKOWN	BURIED	STORM SEWER LINES	OTHER	57.38	57.49	
45.52	45.52	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.77	52.77	X-ING	BURIED	TELECOMM. FACILITY	CENTURYTEL	57.49	57.59	T
45.53	45.53	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.98	52.98	UNKOWN	BURIED	WATER LINE	SNOQUALMIE PASS PUD	57.59	57.67	T
45.53	45.52	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	52.98	52.98	X-ING	BURIED	TELECOMM. FACILITY	SNOQ. PASS CABLE TV	62.60	62.60	
45.53	45.69	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.70	54.70	X-ING	BURIED	TELECOMM. FACILITY	CENTURYTEL	62.74	62.91	
45.69	45.69	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.70	54.70	X-ING	BURIED	SANITARY SEWER LINE	SNOQUALMIE PASS PUD	62.75	62.75	T
45.69	45.86	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.76	55.16	LT	BURIED	WATER LINE	SNOQUALMIE PASS PUD	62.90	62.90	T
45.86	45.86	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.76	54.76	X-ING	BURIED	WATER LINE	SNOQUALMIE PASS PUD	63.17	63.34	
45.86	46.07	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.85	54.85	RT	AERIAL	POWER CABLE	PUGET SOUND ENERGY	63.34	63.34	
46.07	46.07	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	54.93	54.93	LT	BURIED	WATER LINE	SNOQUALMIE PASS PUD	63.34	63.41	T
46.07	46.36	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.03	61.05	UNKOWN	UNKOWN	POWER CABLE	PUGET SOUND ENERGY	63.41	63.47	
46.36	46.36	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.04	55.04	LT	BURIED	WATER LINE	SNOQUALMIE PASS PUD	63.47	63.54	
46.36	46.46	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.04	55.14	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	63.98	64.00	
46.46	46.46	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.04	55.04	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	64.01	64.10	T
46.46	46.72	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.04	55.14	RT	BURIED	TELECOMM. FACILITY	WHOLESAIL NETWORKS	64.14	64.14	T
46.72	46.72	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.05	55.14	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	65.43	64.43	T
46.72	46.99	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.14	55.14	X-ING	BURIED	WATER LINE	PUGET SOUND ENERGY	65.85	65.85	T
46.99	46.99	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.14	55.14	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	65.86	65.86	
46.99	47.27	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.14	55.18	RT	BURIED	TELECOMM. FACILITY	WHOLESAIL NETWORKS	65.87	65.87	L
47.27	47.27	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.14	55.16	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	66.52	67.24	T
47.27	47.27	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.16	55.16	LT	BURIED	WATER LINE	SNOQUALMIE PASS PUD	67.24	67.24	T
47.27	47.54	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.16	55.27	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	67.24	67.24	T
47.41	47.71	X-ING	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	55.18	55.18	RT	BURIED	TELECOMM. FACILITY	WHOLESAIL NETWORKS	68.62	68.68	T
47.54	47.54	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.24	55.24	X-ING	BURIED	SANITARY SEWER LINE	SNOQUALMIE PASS PUD	68.96	68.96	
47.54	47.70	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.27	55.36	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	69.06	69.06	T
47.70	47.70	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.36	55.53	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	69.30	69.30	T
47.70	47.71	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.53	55.71	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	70.53	70.53	U
47.70	47.71	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.59	55.59	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.30	71.33	T
47.71	47.71	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.71	55.84	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.33	71.37	T
47.71	47.93	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY	55.84	55.99	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.33	71.33	T
47.71	47.73	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	55.99	56.14	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.35	71.35	T
47.71	47.71	X-ING	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	56.14	56.31	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.37	71.40	T
47.71	47.73	LT	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	56.31	56.50	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.63	71.75	\top
47.93	47.98	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY	56.50	56.58	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	71.73	71.75	T
47.98	47.98	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	56.58	56.75	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	72.37	72.37	tu
48.07	49.03	RT	BURIED	TELECOMM. FACILITY	CENTURYTEL	56.75	56.82	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	72.38	72.92	T
51.83	51.83	X-ING	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC	56.82	56.90	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY	72.39	72.57	T

SECTION 1															
	I-90 MP 36.25 TO MP 110.55														
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER										
56.90	57.09	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.09	57.24	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.24	57.24	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.24	57.38	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.38	57.49	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.49	57.59	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
57.59	57.67	RT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
62.60	62.60	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
62.74	62.91	LT	BURIED	POWER CABLE	PUGET SOUND ENERGY										
62.75	62.75	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
62.90	62.90	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.17	63.34	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.34	63.34	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.34	63.41	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.41	63.47	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.47	63.54	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.										
63.98	64.00	X-ING	BRIDGE	TELECOMM. FACILITY	LEVEL 3 COMM. LLC										
64.01	64.10	LT	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
64.14	64.14	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
65.43	64.43	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
65.85	65.85	X-ING	AERIAL	POWER CABLE	BONNEVILLE POWER										
65.86	65.86	X-ING	AERIAL	POWER CABLE	BONNEVILLE POWER										
65.87	65.87	UNKOWN	AERIAL	POWER CABLE	BONNEVILLE POWER										
66.52	67.24	RT	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
67.24	67.24	RT	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
67.24	67.24	RT	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
68.62	68.68	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
68.96	68.96	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
69.06	69.06	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
69.30	69.30	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.										
70.53	70.53	UNKOWN	AERIAL	TELECOMM. FACILITY	PASSCOM CABLE LLC										
71.30	71.33	RT	BURIED	WATER LINE	SNOQUALMIE PASS PUD										
71.33	71.37	RT	BRIDGE	WATER LINE	SNOQUALMIE PASS PUD										
71.33	71.33	X-ING	BURIED	WATER LINE	SNOQUALMIE PASS PUD										
71.35	71.35	X-ING	BURIED	WATER LINE	SNOQUALMIE PASS PUD										
71.37	71.40	RT	BURIED	WATER LINE	SNOQUALMIE PASS PUD										
71.63	71.75	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.										
71.73	71.75	X-ING	AERIAL	TELECOMM. FACILITY	QWEST CORP.										
72.37	72.37	UNKOWN	AERIAL	TELECOMM. FACILITY	OTHER										

BURIED TELECOMM. FACILITY

BURIED TELECOMM. FACILITY

QWEST CORP.

QWEST CORP.

LT

LT

NOTE: 1. CONTRACTOR SHALL CONFIRM UTILITY LOCATIONS PRIOR TO WORK. THIS IS FOR INFORMATION PURPOSES ONLY.

FILE NAME	P:\454302\DESIGN\2021 Design	gn\XL 6463 Hardware Upgrade\CAD_Sheets\190-UtllDets\	Utility_Facilies	s.dgn							Plot 2
TIME	9:41:36 AM				REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF NO
DATE	6/2/2022				10 WASH	SEC164-9999(871)					A11
PLOTTED BY	lundj				10 11731]				SCR REGION WIDE -	/ / / /
DESIGNED BY	G. THOMPSON				JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON				22Y006				3		15
CHECKED BY	C. BUCKNELL				CONTRACT NO.	LOCATION NO.			Department of Transportation		_ OF
PROJ. ENGR.	J.WOOD						DATE	- DATE		I-90 UTILITY LOCATIONS	31 SHEETS
REGIONAL ADM	T TREPANIER	REVISION	DATE	RY	1		DE STAMP DOY	DE STAMP POY			SHEETS

				ECTION 1 .25 TO MP 110.55						ECTION 1 5.25 TO MP 110.55	
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER	BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER
72.56	72.56	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.	86.67	86.74	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.
73.82	73.82	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	87.82	87.82	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
73.82	73.92	LT	AERIAL	POWER CABLE	PUGET SOUND ENERGY	88.75	88.75	X-ING	BURIED	TELECOMM. FACILITY	LEVEL 3 COMM. LLC
73.92	74.15	LT	AERIAL	POWER CABLE	PUGET SOUND ENERGY	88.81	88.81	LT	BURIED	SANITARY SEWER LINE	WAGNER, DELBERT
74.05	74.05	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.	88.81	89.18	LT	BURIED	SANITARY SEWER LINE	WAGNER, DELBERT
74.57	74.57	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.	88.89	89.95	LT	BURIED	NATURAL GAS LINE	PUGET SOUND ENERGY
76.73	76.76	UNKOWN	BURIED	WATER LINE	OTHER	89.03	89.18	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.
77.23	77.23	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	89.18	89.18	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.
77.69	77.69	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	89.18	89.30	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.
77.76	77.76	UNKOWN	AERIAL	TELECOMM. FACILITY	OTHER	89.25	89.42	LT	BURIED	NATURAL GAS LINE	PUGET SOUND ENERGY
78.06	78.58	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.	89.42	89.74	LT	BURIED	NATURAL GAS LINE	PUGET SOUND ENERGY
78.58	78.82	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.	89.66	89.66	UNKOWN	BURIED	UNKNOWN.	QWEST CORP.
78.82	78.82	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.	89.77	89.77	X-ING	BRIDGE	TELECOMM. FACILITY	LEVEL 3 COMM. LLC
79.61	79.63	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.	90.52	90.63	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.
79.62	79.62	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	90.62	90.64	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.
79.62	79.62	X-ING	AERIAL	TELECOMM. FACILITY	QWEST CORP.	90.64	90.68	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.
79.63	79.73	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.	93.48	93.48	UNKOWN	AERIAL	TELECOMM. FACILITY	QWEST CORP.
79.73	79.73	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.	93.61	93.61	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
79.73	79.73	LT	BURIED	TELECOMM. FACILITY	QWEST CORP.	93.62	93.62	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.
79.74	80.11	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.	93.92	93.92	UNKOWN	AERIAL	TELECOMM. FACILITY	QWEST CORP.
80.31	80.31	RT	BURIED	TELECOMM. FACILITY	QWEST CORP.	94.01	94.01	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
80.86	80.86	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	94.26	94.26	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.
80.86	80.86	X-ING	AERIAL	TELECOMM. FACILITY	QWEST CORP.	95.20	95.20	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.
82.72	82.72	X-ING	AERIAL	TELECOMM. FACILITY	INLAND TELEPHONE CO.	96.86	96.87	X-ING	BRIDGE	TELECOMM. FACILITY	LEVEL 3 COMM. LLC
82.72	82.72	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	96.89	96.89	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
82.72	82.72	X-ING	AERIAL	TELECOMM. FACILITY	PUGET SOUND ENERGY	97.29	97.29	UNKOWN	BURIED	TELECOMM. FACILITY	ELLENSBURG TELE. CO.
82.73	82.73	X-ING	BURIED	TELECOMM. FACILITY	QWEST CORP.	97.29	97.29	X-ING	BURIED	TELECOMM. FACILITY	ELLENSBURG TELE. CO.
83.50	83.50	UNKOWN	BURIED	WATER LINE	CITY OF CLE ELUM	97.47	97.47	X-ING	BURIED	NATURAL GAS LINE	PUGET SOUND ENERGY
83.60	83.60	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.	97.55	97.58	X-ING	BURIED	MISC.	OTHER
84.04	84.04	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY	97.71	97.71	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.
84.06	84.06	UNKOWN	AERIAL	TELECOMM. FACILITY	McCAW COMM. CO. INC.	99.38	99.38	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
84.06	84.06	UNKOWN	AERIAL	TELECOMM. FACILITY	QWEST CORP.	101.07	101.07	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
84.18	84.18	X-ING	BURIED	MISC.	CITY OF CLE ELUM	101.07	101.07	UNKOWN	BURIED	NATURAL GAS LINE	PUGET SOUND ENERGY
85.09	85.49	LT	BURIED	SANITARY SEWER LINE	WAGNER, DELBERT	102.55	102.55	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
85.12	85.12	X-ING	BURIED	SANITARY SEWER LINE	CITY OF CLE ELUM	102.55	102.55	UNKOWN	AERIAL	UNKNOWN.	ELLENSBURG TELE. CO.
85.49	85.49	LT	BURIED	SANITARY SEWER LINE	WAGNER, DELBERT	102.90	102.90	UNKOWN	AERIAL	POWER CABLE	PUGET SOUND ENERGY
85.49	88.81	LT	BURIED	SANITARY SEWER LINE	WAGNER, DELBERT	105.79	105.79	UNKOWN	BURIED	POWER CABLE	PUGET SOUND ENERGY
85.65	85.65	UNKOWN	BURIED	SANITARY SEWER LINE	CITY OF CLE ELUM	105.82	105.82	UNKOWN	BURIED	POWER CABLE	PUGET SOUND ENERGY
86.65	86.65	UNKOWN	BURIED	TELECOMM. FACILITY	AT&T CORP.	105.82	105.82	UNKOWN	BURIED	POWER CABLE	PUGET SOUND ENERGY
86.65	86.65	UNKOWN	BURIED	TELECOMM. FACILITY	MCI	105.82	105.82	UNKOWN	BURIED	POWER CABLE	PUGET SOUND ENERGY
86.66	86.66	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.	105.92	106.07	RT	BURIED	TELECOMM. FACILITY	AT&T CORP.

	I-90 MP 36.25 TO MP 110.55 BEGIN END LT/RT/ AERIAL/ DESCRIPTION OWNER /														
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER										
105.92	106.06	RT	BURIED	TELECOMM. FACILITY	NW FIBER LLC										
105.92	106.03	RT	UNKOWN	TELECOMM. FACILITY	QWEST CORP.										
105.95	106.25	X-ING	BURIED	TELECOMM. FACILITY	ELLENSBURG TELE. CO.										
106.06	106.07	X-ING	BRIDGE	TELECOMM. FACILITY	NW FIBER LLC										
106.07	106.15	LT	BURIED	TELECOMM. FACILITY	AT&T CORP.										
106.07	106.07	UNKOWN	BURIED	TELECOMM. FACILITY	AT&T CORP.										
106.07	106.15	LT	BURIED	TELECOMM. FACILITY	NW FIBER LLC										
106.12	106.12	UNKOWN	BURIED	UNKNOWN.	ELLENSBURG TELE. CO.										
106.12	106.12	UNKOWN	BURIED	TELECOMM. FACILITY	QWEST CORP.										
106.33	106.33	X-ING	AERIAL	TELECOMM. FACILITY	WHOLESAIL NETWORKS										
106.34	106.34	UNKOWN	BURIED	MISC.	CITY OF ELLENSBURG										
106.35	106.35	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
107.46	107.61	LT	AERIAL	TELECOMM. FACILITY	LEVEL 3 COMM. LLC										
107.61	107.61	X-ING	AERIAL	TELECOMM. FACILITY	LEVEL 3 COMM. LLC										
107.61	107.61	X-ING	AERIAL	POWER CABLE	KITTITAS CO. PUD No 1										
108.30	108.34	UNKOWN	UNKOWN	TELECOMM. FACILITY	WHOLESAIL NETWORKS										
108.31	108.31	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										
108.32	108.32	X-ING	BURIED	TELECOMM. FACILITY	ELLENSBURG TELE. CO.										
108.52	108.52	X-ING	AERIAL	POWER CABLE	KITTITAS CO. PUD No 1										
109.34	109.52	X-ING	BURIED	SANITARY SEWER LINE	CITY OF ELLENSBURG										
109.34	109.52	X-ING	BURIED	SANITARY SEWER LINE	CITY OF ELLENSBURG										
109.34	109.52	X-ING	BURIED	STORM SEWER LINES	CITY OF ELLENSBURG										
109.39	109.39	X-ING	BURIED	POWER CABLE	CITY OF ELLENSBURG										
109.40	109.40	X-ING	BURIED	NATURAL GAS LINE	CITY OF ELLENSBURG										
109.41	109.41	X-ING	BURIED	TELECOMM. FACILITY	KING VIDEOCABLE CO.										
109.42	109.52	X-ING	BURIED	WATER LINE	CITY OF ELLENSBURG										
109.43	109.43	X-ING	BURIED	POWER CABLE	CITY OF ELLENSBURG										
110.01	110.01	X-ING	BURIED	POWER CABLE	CITY OF ELLENSBURG										
110.01	110.01	UNKOWN	BURIED	TELECOMM. FACILITY	CITY OF ELLENSBURG										
110.01	110.01	X-ING	BURIED	NATURAL GAS LINE	CITY OF ELLENSBURG										
110.01	110.01	X-ING	UNKOWN	NATURAL GAS LINE	CITY OF ELLENSBURG										
110.01	110.01	X-ING	BURIED	WATER LINE	CITY OF ELLENSBURG										
110.01	110.01	UNKOWN	UNKOWN	WATER LINE	CITY OF ELLENSBURG										
110.01	110.01	X-ING	BURIED	SANITARY SEWER LINE	CITY OF ELLENSBURG										
110.02	110.02	X-ING	BURIED	POWER CABLE	PUGET SOUND ENERGY										
110.09	110.09	X-ING	AERIAL	POWER CABLE	PUGET SOUND ENERGY										

BURIED

TELECOMM. FACILITY

CHARTER COMM. LP

110.09 110.09 X-ING

SECTION 1

NOTE: 1. CONTRACTOR SHALL CONFIRM UTILITY LOCATIONS PRIOR TO WORK. THIS IS FOR INFORMATION PURPOSES ONLY.

FILE NAME	P:\454302\DESIGN\2021 Design\XL 6463 Hardware Upgrade\CAD_Sheets\190-UtllDets\0	Jtility_Facilles	s.dgn							Plot 3
TIME	9:41:41 AM			REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF NO
DATE	6/2/2022			10 WASI	SEC164-9999(871)					A12
PLOTTED BY	lundj			IU WASI]				SCR REGION WIDE -	_ ^'_
DESIGNED BY	G. THOMPSON			JOB NUMBER				Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	G. THOMPSON			22Y006				9		16
CHECKED BY	C. BUCKNELL			CONTRACT NO.	LOCATION NO.			Department of Transportation		OF
PROJ. ENGR.	J.WOOD					DATE	DATE	-	I-90 UTILITY LOCATIONS	31 SHEETS
REGIONAL ADM	T TREPANIER REVISION	DATE	BV			DE STAND DOY	DE STAND DOY			SILLIS

	SR 241 QUANTITY TABULATIONS													
	LOCA	TION		REMOVING GUARDRAIL	REMOVING GUARDRAIL ANCHOR	BEAM GUARDRAIL TRANSITION SECTION TYPE 21	BEAM GUARDRAIL TYPE 31 NON-FLARED TERMINAL	RAISING EXISTING BEAM GUARDRAIL	FLEXIBLE GUIDE POST	GENERAL NOTES				
MAINLINE MP	RUN No.	SIDE *	DIRECTION	L.F.	EACH	EACH	EACH	L.F.	EACH		GENERAL NOTES			
7.47	B1-1	RT	NB	44.5	1	1	1	62.5	1	1,4,6,7,11	1. SEE STANDARD PLAN C-1			
7.50	B1-2	RT	SB	44.5	1	1	1	37.5	1	1,4,6,7,11	4. SEE STANDARD PLAN C-22.40			
											6. SEE STANDARD PLAN C-25.20 7. SEE STANDARD PLAN C-25.80 11. ALL RAISED GUARDRAIL WILL BE FIELD LOCATED BY THE ENGINEER. * SIDE IS DETERMINED BY THE			
			SHEET TOTAL	89.0	2	2	2	100.0	2		DIRECTION OF TRAVEL.			

UTILITIES

	SECTION 2 SR 241 MP 7.43 TO MP 7.61												
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER								
7.43	7.61	LT	UNKNOWN	UNKNOWN	WSDOT								
7.43	7.61	RT	UNKNOWN	UNKNOWN	WSDOT								

NOTE: 1. CONTRACTOR SHALL CONFIRM UTILITY LOCATIONS PRIOR TO WORK. THIS IS FOR INFORMATION PURPOSES ONLY.

	BR 241/010 INCLUDED IN PROJECT	END SECTION SR 241 MP 7.5	<u>2</u> 57
_	MP 7.50 SB (82) 12	MP 7.47 NB	
	(241)	BEGIN SECTION 2 SR 241 MP 7.47	
	0 500 SCALE IN FEE	1000 ET	
	7	I-90 ET AL	Plot 8 an ref no B1

FILE NAME	P:\454302\DESIGN\2021 Design	n\XL 6463 Hardware Upgrade\CAD_Sheets\020-VlcInIty\X	L6463_PS_VIV	1.dgn			
TIME	7:12:29 AM				REGION NO.	STATE	FED.AID PROJ.NO.
DATE	6/2/2022					WASH	SEC164-9999(871)
PLOTTED BY	lundj				10	WASH	
DESIGNED BY	C. BUCKNELL					IUMBER	
ENTERED BY	D. KEEN				22Y	006	
CHECKED BY	P. CRANE				CONTR	RACT NO.	LOCATION NO.
PROJ. ENGR.	J. WOOD						
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			

Washington State Department of Transportation

	1 100 0				
I-90 ET AL					
SCR REGION WIDE -	B1				
ROADSIDE HARDWARE PRESERVATION	SHEET 17 OF				
I-90 REFERENCE PLAN					

	SR 240 QUANTITY TABULATIONS												
LOCATION				REMOVING GUARDRAIL	REMOVING GUARDRAIL ANCHOR	CRUSHED SURFACING FOR GUARDRAIL WIDENING	BEAM GUARDRAIL TYPE 31	BEAM GUARDRAIL TRANSITION SECTION TYPE 2.1	BEAM GUARDRAIL TYPE 31 NON- FLARED TERMINAL	BEAM GUARDRAIL ANCHOR TYPE 10	FLEXIBLE GUIDE POST	GENERAL NOTES	
		TION								_			
MAINLINE MP	RUN No.	SIDE *	DIRECTION	L.F.	EACH	TON	L.F.	EACH	EACH	EACH	EACH		GENERAL NOTES
34.76	C1-1	RT	WB	27.0	1		25.0	1		1	5	1,3,5,6	1. SEE STANDARD PLAN C-1
34.80	C1-2	RT	WB	56.0			50.0	2			6	1,3,6	3. SEE STANDARD PLAN C-20.10
42.83	C1-3	RT	EB	208.5	2	4	237.5		1	1	3	1,3,4,5	4. SEE STANDARD PLAN C-22.40
													5. SEE STANDARD PLAN C-23.60 6. SEE STANDARD PLAN C-25.20
												* SIDE IS DETERMINED BY THE	
		9	SHEET TOTAL	291.5	3	4	312.5	3	1	2	14		DIRECTION OF TRAVEL.

BEGIN SECTION 3 SR 240 MP 34.25 MP 34.76 WB BR 182/10W-W INCLUDED IN PROJECT MP 34.80 WB END SECTION 3 SR 240 MP 34.79 BR 182/11 NOT INCLUDED IN PROJECT BR 240/008 INCLUDED IN PROJECT BR 240/008 INCLUDED IN PROJECT O 500 1000 SCALE IN FEET

UTILITIES

	SECTION 3 & SECTION 4 SR 240 MP 34.20 to MP 34.83; MP 42.40 to MP 43.21												
BEGIN MP	END MP	LT/RT/ X-ING	AERIAL/ BURIED/ UNKNOWN	DESCRIPTION	OWNER / HOLDER								
34.21	34.21	X-ING	BURIED	NATURAL GAS LINE	CASCADE NAT. GAS CO.								
34.61	34.63	X-ING	AERIAL	TELECOMM. FACILITY	CHARTER COMM. LP								
34.68	34.79	INTERSECTION	BURIED	UNKNOWN	WSDOT								
42.66	42.66	X-ING	BURIED	SANITARY SEWER LINE	CITY OF KENNEWICK								
42.89	42.89	X-ING	BURIED	WATER LINE	CITY OF KENNEWCK								
43.00	43.00	X-ING	BURIED	WATER LINE	CITY OF KENNEWICK								

NOTE: 1. CONTRACTOR SHALL CONFIRM UTILITY LOCATIONS PRIOR TO WORK. THIS IS FOR INFORMATION PURPOSES ONLY.

FILE NAME	P:\454302\DESIGN\2021 Desig	n\XL 6463 Hardware Upgrade\CAD_Sheets\020-Vicinity\X	L6463_PS_VM	1.dgn			
TIME	7:13:33 AM				REGION NO.	STATE	FED.AID PROJ.NO.
DATE	6/2/2022					WASH	SEC164-9999(871)
PLOTTED BY	lundj				10	WASH	
DESIGNED BY	C. BUCKNELL					UMBER	
ENTERED BY	D. KEEN				22Y	006	
CHECKED BY	P. CRANE				CONTR	ACT NO.	LOCATION NO.
PROJ. ENGR.	J. WOOD						
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			

Washington State
Department of Transportation

MP 42.83 EB

BEGIN SECTION 4
SR 240 MP 42.80

END OF PROJECT

END SECTION 4 SR 240 MP 43.17

BR 240/037 NOT INCLUDED IN PROJECT

240

DATE

DATE

I-90 ET AL
SCR REGION WIDE ROADSIDE HARDWARE PRESERVATION

I-90 REFERENCE PLAN

PLAN REF NO C1

SHEET 18
OF 31
SHEETS

BR 395/038 NOT INCLUDED IN PROJECT

> BR 395/016 NOT INCLUDED IN PROJECT


> > 250

SCALE IN FEET

395

240

395



I-90 WESTBOUND GUARDRAIL TRANSITION ADAPTER PLATE LOCATIONS MΡ *SIDE | Bridge NO. NAME 97.29 RT 90/150 N TANEUM CREEK 97.29 LT 90/150 N TANEUM CREEK 100.53 90/152 N WEST SIDE CANAL LT 100.53 RT 90/152 N WEST SIDE CANAL 102.58 RT 90/154 N YAKIMA RIVER 103.20 90/155 N YAKIMA RIVER OVERFLOW LT 103.20 90/155 N YAKIMA RIVER OVERFLOW RT 104.78 LT 90/156 N DRY CREEK 107.46 LT 90/160 N REECER CREEK 107.46 RT 90/160 N REECER CREEK 90/161 N UMPTANUM RD.

UMPTANUM RD.

CANYON RD.

108.36

108.36

109.43


LT

RT

90/161 N

90/162N

GU	I-90 EASTBOUND GUARDRAIL TRANSITION ADAPTER PLATE LOCATIONS											
MP *SIDE Bridge NO. NAME												
52.96	RT	90/101	YELLOWSTONE RD.									
102.48	RT	90/154 S	YAKIMA RIVER									
103.20	RT	90/155 S	YAKIMA RIVER OVERFLOW									
103.20	LT	90/155 S	YAKIMA RIVER OVERFLOW									
104.72	RT	90/156 S	DRY CREEK									
107.43	LT	90/160 S	REECER CREEK									
107.43	RT	90/160 S	REECER CREEK									
108.30	LT	90/161 S	UMPTANUM RD.									
108.30	RT	90/161 S	UMPTANUM RD.									
109.12	LT	90/162S	WILSON CREEK									
109.12	RT	90/162S	WILSON CREEK									
109.35	LT	90/163S	CANYON RD.									



GUARDRAIL TERMINAL DETAILS


1. SEE STANDARD PLAN C-24.10 AND C-25.20 FOR CONNECTION DETAILS.


GENERAL NOTES:

- 2. SEE SPECIALS PROVISIONS FOR WORKING HOURS AND LANE CLOSURE RESTRICTIONS.
- 3. SEE STANDARD PLAN C-22.40 AND C-22.45 FOR ADDTIONAL DETAILS NOT SHOWN.
- 4. ALL RAISED GUARDRAIL LOCATONS WILL BE FIELD LOCATED BY THE ENGINEER.
- * SIDE IS DETERMINED BY DIRECTION OF TRAVEL


NOT TO SCALE

									* SIDE IS DETERMINED BY DIRECTION OF TRAVEL.	ļ
FILE NAME	P:\454302\DESIGN\2021 Desi	gn\XL 6463 Hardware Upgrade\CAD_Sheets\055-Guardral	IIDetalis\XL646	3_PS_GD.dgn						Plot 2
TIME	10:52:58 AM			REGION STA	FED.AID PROJ.NO.	1			I-90 ET AL	PLAN REF NO
DATE	6/2/2022			10 WA	SH SEC164-9999(871)					GD1
PLOTTED BY	lundj			10 997	, , , , , , , , , , , , , , , , , , ,				SCR REGION WIDE -	
DESIGNED BY	C. PEYSER			JOB NUMBE	•			Washington State	ROADSIDE HARDWARE PRESERVATION	SHEET
ENTERED BY	C. PEYSER			22Y00	5			3		19
CHECKED BY	C. BUCKNELL			CONTRACT N	O. LOCATION NO.			Department of Transportation		OF OF
PROJ. ENGR.	J. WOOD					DATE	DATE	-	GUARDRAIL DETAILS	31 SHEETS
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY		P.E. STAMP BOX	P.E. STAMP BOX			S.ALETO





HARDWARE ASSEMBLY DETAIL



STEEL PLATE DETAIL

GENERAL NOTES:

- 1. ALL MATERIAL AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE CURRENT EDITION OF THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD, BRIDGE AND MUNICIPAL CONSTRUCTION DATED 2022.
- 2. MATERIAL SPECIFICATIONS: STEEL SHAPES & PLATES

ASTM A36

BOLTS, NUTS & WASHERS UNLESS OTHERWISE NOTED

STD. SPEC. 9-16.3(3) & 9-16.3(4)

RESIN BONDED ANCHORS (ALL THREAD) ASTM A193 GRADE B7, OR ASTM A449

- 3. ALL STEEL PLATES SHALL BE GALVANIZED IN ACCORDANCE WITH AASHTO M 111 AFTER FABRICATION. BOLTS AND HARDWARE SHALL BE GALVANIZED IN ACCORDANCE WITH AASHTO M 232.
- 4. ALL BOLT HOLES SHALL BE 1/16" LARGER THAN THE BOLT DIAMETER UNLESS OTHERWISE SPECIFIED. USE TEMPLATE TO LOCATE HOLES IN CONCRETE. BOLT LENGTHS NOT SHOWN SHALL BE SIZED TO PROVIDE A 14" MIN. OF THREAD EXPOSED BEYOND THE NUT.
- 5. REMOVE EXISTING ANCHORS IN ACCORDANCE WITH SECTION 8-11.3(1)D (TYP.).

NOTES:

- 1 EMBEDMENT AND HOLE DIAMETER PER MANUFACTURER'S RECOMMENDATION, EXCEPT EMBEDMENT SHALL BE 7%" MIN. SEE "HARDWARE ASSEMBLY DETAIL". DO NOT DAMAGE EXISTING REINFORCEMENT. CORE DRILLING ALLOWED IF EXISTING REINFORCEMENT IS LOCATED PRIOR TO DRILLING. ROUGHEN EDGES OF CORE DRILLED HOLES.
- 2 CENTER OF RESIN BONDED ANCHORS SHALL BE A MINIMUM OF 4" FROM JOINTS AND
- 3 HOLE LOCATIONS MAY BE ADJUSTED HORIZONTALLY TO AVOID EXISTING REINFORCEMENT. € OF HOLES SHALL BE 1" CLEAR MINIMUM FROM PLATE EDGES AND SHALL BE SPACED A MINIMUM OF 6" APART. HOLES MAY BE FIELD DRILLED, IN WHICH CASE THEY SHALL BE PAINTED WITH TWO COATS OF PAINT CONFORMING TO STD. SPEC. 9-08.1(2)B.
- 4 CURB HEIGHT SHALL BE MEASURED BY THE CONTRACTOR IN THE FIELD PRIOR TO MANUFACTURING ADAPTOR PLATE.

,	Bridge Design Engr.	Khaleghi, B		M:\RAI	L RETROFITS\XL6463 GUARDRAIL TRANS	SITIC	N\wind	ow fil	es\GUARD	DRAILTRASITIONDTLS.V	wnd		Γ
1	Supervisor	Rosa, MA				П		REGION NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS	1
٠.	Designed By	Howlett, K	02/22										1
	Checked By	Rosa, M	03/22					10	WASH.	SEC164-9999(871)			l
3	Detailed By	Bontemps, W	02/22			Т		700.					١.
;	Bridge Projects Engr.								NUMBER 1006				l
2	Prelim. Plan By					T			RACT NO.				
	Architect/Specialist			DATE	DEVISION	BV	V DDiD		01011101			1 '	ı











I-90
ET AL/SCR REGION -
ROADWAY HARDWARE PRESERVATION

GUARDRAIL TRANSITION ADAPTER PLATE DETAILS

20 31

BA1





MINIMUM SHOULDER TAPER LENGTH = L/3 (feet)												
SHOULDER	Posted Speed (mph)											
WIDTH (feet)	25	30	35	40	45	50	55	60	65	70		
8'	40	40	60	90	120	130	150	160	170	190		
10'	40	60	90	90	150	170	190	200	220	240		

USE A MINIMUM 3 DEVICES TAPER FOR SHOULDER LESS THEN 8'.

SIGN SPACII	NG = X	
FREEWAYS & EXPRESSWAYS	60 / 65 MPH	1500'± (OR AS PER MUTCD)
RURAL HIGHWAYS	60 / 65 MPH	800' ±
RURAL ROADS	45 / 55 MPH	500' ±
RURAL ROADS & URBAN ARTERIALS	35 / 40 MPH	350' ±

- (1) ALL SPACING MAY BE ADJUSTED TO ACCOMMODATE INTERCHANGE RAMPS, AT-GRADE INTERSECTIONS AND DRIVEWAYS.
- (2) THIS SPACING MAY BE REDUCED IN URBAN AREAS TO FIT ROADWAY CONDITIONS.

CHANNELIZATION DEVICE SPACING (feet)								
MPH	TAPER	TANGENT						
50/70	40	80						
35/45	30	60						
25/30	20	40						

BUFFER DATA										
LONGITUDINAL BUFFER SPACE = B										
SPEED (MI	PH) 25	30	35	40	45	50	55	60	65	70
LENGTH (fo	LENGTH (feet) 155 200 250				360	425	495	570	645	730
TR	RANSPORTABLE	ATTE	NUATO	R ROL	L AHE	AD DIS	TANCE	= R		
HOST 9,90		HOST VEHICLE WEIGHT > 22,000 lbs.								
< 45 MPH	45-55 MPH	<	45 MPI	н 🗔	45-55 N	IPH	> 55	MPH		


PROTECTIVE VEHICLE (WORK VEHICLE) = R

74'

150'

172'

NO SPECIFIED DISTANCE REQUIRED



LEGEND

- CLASS B SIGN LOCATION
- TRAFFIC SAFETY DRUMS

TRANSPORTABLE ATTENUATOR

RIGHT SHOULDER CLOSURE - HIGH SPEED

DATE

NOT TO SCALE

FILE NAME P:\454302\DESIGN\2021 DesIgn\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPlan\XL6463_PS_TC.dgn									
TIME	11:06:37 AM				REGION NO.	STATE	FED.AID PROJ.NO.		
DATE	6/2/2022					WASH	SEC164-9999(871)		
PLOTTED BY	lundj				ו ויי	WASH	,		
DESIGNED BY	T. DELLINGER					UMBER			
ENTERED BY	D. KEEN				22Y	006			
CHECKED BY	P. CRANE				CONTR	ACT NO.	LOCATION NO.		
PROJ. ENGR.	J. WOOD								
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY					



DATE

100'

123'

I-90 ET AL SCR REGION WIDE -ROADSIDE HADWARE PRESERVATION

TRAFFIC CONTROL PLAN

4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED.

5. NO ENCROACHMENT IN THE TRAVELED LANE IF ENCROACHMENT IS


6. TRAFFIC SAFETY DRUMS SHALL HAVE DOUBLE WEIGHTED BASES

FOR TRAFFIC CONTROL SETUPS ON INTERSTATE ROUTES OR AS DETERMINED BY THE ENGINEER.

NECESSARY, LANE SHALL BE CLOSED SEE SHEET TC2.

PLAN REF NO TC1 23 31 SHEETS

Plot 1



		MINII	MUM ·	TAPER	LENG	STH =	L (fee	et)		
LANE		Posted Speed (mph)								
WIDTH (feet)	25	30	35	40	45	50	55	60	65	70
10	105	150	205	270	450	500	550	-	-	-
11	115	165	225	295	495	550	605	660	-	-
12	125	180	245	320	540	600	660	720	780	840

SIGN SPACI	NG = X	
FREEWAYS & EXPRESSWAYS	60 / 65 MPH	1500'± (OR AS PER MUTCD)
RURAL HIGHWAYS	60 / 65 MPH	800' ±
RURAL ROADS	45 / 55 MPH	500' ±
RURAL ROADS & URBAN ARTERIALS	35 / 40 MPH	350' ±

(1) ALL SPACING MAY BE ADJUSTED TO ACCOMMODATE INTERCHANGE


CHANNELIZATION DEVICE SPACING (feet)							
MPH	TAPER	TANGENT					
50/70	40	80					
35/45	30	60					
25/30	/30 20 40						


BUFFER DATA										
LONGITUDINAL BUFFER SPACE = B										
SPEED (MPH)	25	30	35	40	45	50	55	60	65	70
LENGTH (feet) 155 200 250 305 360 425 495 570 645 730										
TRANSPORTABLE ATTENUATOR ROLL AHEAD DISTANCE = R										

	VEHICLE WEIG 0 TO 22,000 lbs		HOST VEHICLE WEIGHT > 22,000 lbs.					
< 45 MPH	45-55 MPH	> 55 M PH	< 45 MPH	45-55 MPH	> 55 MPH			
100'	123'	172'	74'	100'	150'			

PROTECTIVE VEHICLE (WORK VEHICLE) = R

NO SPECIFIED DISTANCE REQUIRED





LEGEND

CLASS B SIGN LOCATION

TRANSPORTABLE ATTENUATOR

TEMPORARY SIGN LOCATION (7' MOUNTING HEIGHT)

TRAFFIC SAFETY DRUMS

TEMPORARY ON-RAMP WITH RIGHT LANE CLOSURE

NOT TO SCALE

GENERAL NOTES:

- 1. SEE SPECIAL PROVISIONS FOR WORK HOUR RESTRICTIONS.
- 2. CHANNELIZING DEVICE SPACING FOR DOWNSTREAM TAPER SHALL
- 3. EXTEND TAPER CHANNELIZATION DEVICES ACROSS SHOULDER.
- 4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED
- 6. TRAFFIC SAFETY DRUMS SHALL HAVE DOUBLE WEIGHTED BASES FOR TRAFFIC CONTROL SETUPS ON INTERSTATE ROUTES OR AS DETERMINED BY THE ENGINEER.

FILE NAME P:\454302\DESIGN\2021 Design\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPlan\XL6463_PS_TC.dgn									
TIME	11:06:38 AM						REGION NO.	STATE	FED.AID PROJ.NO.
DATE	6/2/2022							WASH	SEC164-9999(871)
PLOTTED BY	lundj						10	WASH	,
DESIGNED BY	T. DELLINGER							UMBER	
ENTERED BY	D. KEEN						22Y	006	
CHECKED BY	P. CRANE						CONTR	ACT NO.	LOCATION NO.
PROJ. ENGR.	J. WOOD								
REGIONAL ADM.	T. TREPANIER		REVISION		DATE	BY			

ROAD WORK

AHEAD


W20-1

Washington State **Department of Transportation** DATE DATE

I-90 ET AL SCR REGION WIDE -ROADSIDE HADWARE PRESERVATION TRAFFIC CONTROL PLAN

PLAN REF NO TC3 25 31 SHEETS

Plot 3



CHANNELIZATION DEVICE SPACING (feet)								
MPH	TAPER	TANGENT						
50/70	40	80						
35/45	30	60						
25/30	20	40						

				BUFFE	R DAT	ГА					
		L	ONGITU	DINAL	BUFFE	R SPA	CE =	: В			
SPEED (M	PH) 25 30 35			40	45	50	55	60	65	70	
LENGTH (feet) 155			200	250	305	360	42	5 495	570	645	730
TRANSPORTABLE ATTENUATOR ROLL AHEAD DISTANCE = R											
	VEHICI 0 TO 2					HOST VEHICLE WEIGHT > 22,000 lbs.					
< 45 MPH	45-55	MPH	> !	55 M PH	<	< 45 MPH 45-55			MPH > 55 MPH		MPH
100'	12	23'		172'		74'		100'		150'	
PROTECTIVE VEHICLE (WORK VEHICLE) = R											
NO SPECIFIED DISTANCE REQUIRED											


LEGEND

TRANSPORTABLE ATTENUATOR

TRAFFIC SAFETY DRUMS

(7' MOUNTING HEIGHT)

TEMPORARY SIGN LOCATION



GENERAL NOTES:

- 1. SEE SPECIAL PROVISIONS FOR WORK HOUR RESTRICTIONS.
- 2. CHANNELIZING DEVICE SPACING FOR DOWNSTREAM TAPER SHALL BE 20 FT O.C.
- 3. EXTEND TAPER CHANNELIZATION DEVICES ACROSS SHOULDER.
- 4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED.
- 6. TRAFFIC SAFETY DRUMS SHALL HAVE DOUBLE WEIGHTED BASES FOR TRAFFIC CONTROL SETUPS ON INTERSTATE ROUTES OR AS
- 7. IF RAMP WIDTH IS NOT MORE THAN 10 FT, A SHORT TERM OFF-RAMP CLOSURE IS REQUIRED. SEE SHEET TC6 FOR SHORT TERM OFF-RAMP CLOSURE.

TEMPORARY OFF-RAMP WITH SHOULDER CLOSURE/LANE SHIFT

NOT TO SCALE

7	I-90 SCR RE

FILE NAME	P:\454302\DESIGN\2021 Desig	n\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPla	an\XL6463_PS	S_TC.d	gn						Plot 5
TIME	11:06:38 AM				REGION STATE	FED.AID PROJ.NO.				I-90 ET AL	PLAN REF NO
DATE	6/2/2022				10 14/4 61	SEC164-9999(871)					TC5
PLOTTED BY	lundj				I IU WASI					SCR REGION WIDE -	103
DESIGNED BY	T. DELLINGER				JOB NUMBER	1			Washington State	ROADSIDE HADWARE PRESERVATION	SHEET
ENTERED BY	D. KEEN				22Y006				9		27
CHECKED BY	P. CRANE				CONTRACT NO.	LOCATION NO.			Department of Transportation		OF_
PROJ. ENGR.	J. WOOD						DATE	DATE	-	TRAFFIC CONTROL PLAN	31 SHEETS
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY	1		P.E. STAMP BOX	P.E. STAMP BOX			SITEE 18

	MIM	MUMIN	SHOU	JLDER	TAPE	R LEN	NGTH	= L/3	(feet)	
SHOULDER										
WIDTH (feet)	25	30	35	40	45	50	55	60	65	70
8'	40	40	60	90	120	130	150	160	170	190
10'	40	60	90	90	150	170	190	200	220	240


USE A MINIMUM 3 DEVICES TAPER FOR SHOULDER LESS THEN 8'.

SIGN	SPACING = X	
FREEWAYS & EXPRESSWAYS	60 / 65 MPH	1500'± (OR AS PER MUTCD)
RURAL HIGHWAYS	60 / 65 MPH	800' ±
RURAL ROADS	45 / 55 MPH	500' ±
RURAL ROADS & URBAN ART	TERIALS 35 / 40 MPH	350' ±

(1) ALL SPACING MAY BE ADJUSTED	TO ACCOMMODATE INTERCHANG
RAMPS, AT-GRADE INTERSECTIONS	AND DRIVEWAYS.
(2) THE SPACING MAY BE BEDLICED	IN LIDDAN ADEAC TO EIT


(2) THIS SPACING MAY BE REDUCED IN URBAN AREAS TO FIT ROADWAY CONDITIONS.

CHANNELIZATION DEVICE							
SPACING (feet)							
MPH	TAPER	TANGENT					
50/70	40	80					
35/45	30	60					
25/30	20	40					




 \bigcirc B

 \bigcirc A



			Z ¹	CE SPACING 40 FT O.C. MAX.	-
⊗ ⊗ PCMS	И И	N 888888888		× × × × × × × × × × × × × × × × × × ×)
Wo MESSA OF	x x	X L/3	500'	CLOSED EXIT	R11-1501 SHALL BE INSTA 5 DAYS MIN. PRIOR TO CL 48"
MS MESSAGE SE 1 PHASE 2	A B	C	RAMP 30"		RAMP
IT USE X ALT SED ROUTE			CLOSED	N	WILL BE CLOSED 6
SEC 2.0 SEC			R11-201 B/W		MON DA - MON DA XAM XPM



GENERAL NOTES:

- 1. SEE SPECIAL PROVISIONS FOR WORK HOUR RESTRICTIONS.
- 2. CHANNELIZING DEVICE SPACING FOR DOWNSTREAM TAPER SHALL BE 20 FT O.C.
- 3. EXTEND TAPER CHANNELIZATION DEVICES ACROSS SHOULDER.
- 4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED.
- 6. TRAFFIC SAFETY DRUMS SHALL HAVE DOUBLE WEIGHTED BASES FOR TRAFFIC CONTROL SETUPS ON INTERSTATE ROUTES OR AS DETERMINED BY THE ENGINEER.

SHORT TERM OFF-RAMP CLOSURE

NOT TO SCALE

LEGEND

CLASS B SIGN LOCATION

TRAFFIC SAFETY DRUMS

TYPE 3 BARRICADE WITH CLASS B SIGN

PCMS PORTABLE CHANGEABLE MESSAGE SIGN


DATE

DATE

Washington State Department of Transportation	I
•	

I-90 ET AL
SCR REGION WIDE -
ROADSIDE HADWARE PRESERVATION
TRAFFIC CONTROL PLAN

FILE NAME P:\454302\DESIGN\2021 Design\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPlan\XL6463_PS_TC.dgn							
TIME	11:06:39 AM				REGION NO.	STATE	FED.AID PROJ.NO.
DATE	6/2/2022					WASH	SEC164-9999(871)
PLOTTED BY	lundj				10	WASH	
DESIGNED BY	T. DELLINGER					IUMBER	
ENTERED BY	D. KEEN				22Y	006	
CHECKED BY	P. CRANE				CONTR	RACT NO.	LOCATION NO.
PROJ. ENGR.	J. WOOD						
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			



MINIMUM TAPER LENGTH = L (feet)										
LANE				P	osted Sp	eed (mp	oh)			
WIDTH (feet)	25	30	35	40	45	50	55	60	65	70
10	105	150	205	270	450	500	550	-	-	-
11	115	165	225	295	495	550	605	660	-	-
12	125	180	245	320	540	600	660	720	780	840

SIGN SPACI	NG = X	
FREEWAYS & EXPRESSWAYS	60 / 65 MPH	1500'± (OR AS PER MUTCD)
RURAL HIGHWAYS	60 / 65 MPH	800' ±
RURAL ROADS	45 / 55 MPH	500' ±
RURAL ROADS & URBAN ARTERIALS	35 / 40 MPH	350' ±

(1) ALL SPACING MAY BE ADJUSTED TO ACCOMMODATE INTERCHANGE

RAMPS, AT-GRADE INTERSECTIONS AND DRIVEWAYS.
(2) THIS SPACING MAY BE REDUCED IN URBAN AREAS TO FIT ROADWAY CONDITIONS.

CHANNELIZATION DEVICE SPACING (feet)							
MPH	TAPER	TANGENT					
50/70	40	80					
35/45	30	60					
25/30	20	40					

WORK AREA

100'


BUFFER DATA										
LONGITUDINAL BUFFER SPACE = B										
SPEED (MPH) 25 30 35 40 45 50 55 60 65 70										70
LENGTH (feet) 155 200 250 305 360 425 495 570 645 730										
TRANSPORTABLE ATTENUATOR ROLL ALEAD DISTANCE - R										

TRANSPORTABLE ATTENUATOR ROLL AHEAD DISTANCE = F

	0 TO 22,000 lbs		> 22,000 lbs.					
< 45 MPH	45-55 MPH	> 55 MPH	< 45 MPH	45-55 MPH	> 55 MPH			
100'	123'	172'	74'	100'	150'			


PROTECTIVE VEHICLE (WORK VEHICLE) = R

NO SPECIFIED DISTANCE REQUIRED



L/3

W4-2(L)



⊗ #1s

FIELD LOCATE 1 MILE (±) IN ADVANCE OF LANE CLOSURE

LEGEND

CLASS B SIGN LOCATION

TRAFFIC SAFETY DRUMS

TRANSPORTABLE ATTENUATOR

SEQUENTIAL ARROW BOARD

TEMPORARY SIGN LOCATION
(7' MOUNTING HEIGHT)

PORTABLE CHANGEABLE MESSAGE SIGN

RIGHT LANE CLOSURE SR 240 MP 42.83

NOT TO SCALE

DATE

GENERAL NOTES:

- 1. SEE SPECIAL PROVISIONS FOR WORK HOUR RESTRICTIONS.
- 2. CHANNELIZING DEVICE SPACING FOR DOWNSTREAM TAPER SHALL BE 20 FT O.C.
- 3. EXTEND TAPER CHANNELIZATION DEVICES ACROSS SHOULDER.
- 4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED.
- 6. TRAFFIC SAFETY DRUMS SHALL HAVE DOUBLE WEIGHTED BASES FOR TRAFFIC CONTROL SETUPS ON INTERSTATE ROUTES OR AS DETERMINED BY THE ENGINEER.
- 7. IF RAMP WIDTH IS NOT MORE THAN 10 FT, A SHORT TERM OFF-RAMP CLOSURE IS REQUIRED. SEE SHEET TC6 FOR SHORT TERM OFF-RAMP CLOSURE.

,	MODITING TILIGITI)							
FILE NAME	P:\454302\DESIGN\2021 Design	n\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPla	n\XL6463_PS_	TC.dg	jn			
TIME	11:06:39 AM				REGION NO.	STATE	FED.AID PROJ.NO.	
DATE	6/2/2022					WASH	SEC164-9999(871)	
PLOTTED BY	lundj				10	WASH		
DESIGNED BY	T. DELLINGER				JOB N			
ENTERED BY	D. KEEN				22Y	006		
CHECKED BY	P. CRANE				CONTR	ACT NO.	LOCATION NO.	
PROJ. ENGR.	J. WOOD							
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY				

RIGHT LANE
CLOSED

AHEAD


W20-5R



I-90 ET AL
SCR REGION WIDE -
SCK REGION WIDE -
ROADSIDE HADWARE PRESERVATION
TRAFFIC CONTROL PLAN

Plot 8
PLAN REF NO
TC8

30 of 31



	MINIMUM SHOULDER TAPER LENGTH = L/3 (feet)									
SHOULDER WIDTH										
(feet)	25	30	35	40	45	50	55	60	65	70
8'	40	40	60	90	120	130	150	160	170	190
10'	40	60	90	90	150	170	190	200	220	240
USE A MINIMUM 3 DEVICES TAPER FOR SHOULDER LESS THEN 8'.										


35 / 40 MPH


350' ±

SIGN	SPACING = X	
FREEWAYS & EXPRESSWAYS	60 / 65 MPH	1500'± (OR AS PER MUTCD)
RURAL HIGHWAYS	60 / 65 MPH	800' ±
PLIPAL POADS	45 / 55 MDH	500' +


- (1) ALL SPACING MAY BE ADJUSTED TO ACCOMMODATE INTERCHANGE RAMPS, AT-GRADE INTERSECTIONS AND DRIVEWAYS.
- (2) THIS SPACING MAY BE REDUCED IN URBAN AREAS TO FIT ROADWAY CONDITIONS.

RURAL ROADS & URBAN ARTERIALS





CHANNELIZATION DEVICE SPACING (feet)							
MPH	MPH TAPER TANGEN						
50/70	40	80					
35/45	30	60					
25/30	20	40					



CLOSED

AHEAD

W20-5R

W20-7A

GENERAL NOTES:

- 1. SEE SPECIAL PROVISIONS FOR WORK HOUR RESTRICTIONS.
- 2. CHANNELIZING DEVICE SPACING FOR DOWNSTREAM TAPER SHALL BE 20 FT O.C.
- 3. EXTEND TAPER CHANNELIZATION DEVICES ACROSS SHOULDER.
- 4. ALL SIGNS SHALL BE BLACK ON ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE SPECIFIED.
- 8. NIGHT WORK REQUIRES ADDITIONAL ROADWAY LIGHTING AT FLAGGING STATIONS SEE THE STANDARD SPECIFICATION FOR ADDITIONAL DETAILS.
- 9. SIGNAL SHALL BE SET TO "RED FLASH MODE" OR TURNED OFF DURING FLAGGING OPERATIONS.
- 10. ALL FLAGGERS SHALL BE IN RADIO CONTACT.
- 11. NOTIFY THE ENGINEER SEVEN DAYS IN ADVANCE OF THE USE OF THIS PLAN.

,	FLAGGING STATION
K	CLASS B SIGN LOCATION
	CHANNELIZING DEVICES
	SEQUENTIAL ARROW BOARD

LEGEND

PROTECTIVE VEHICLE

AARON DRIVE INTERSECTION FLAGGER CONTROLLED

NOT TO SCALE

DATE

* W20-7B (OPTIONAL IF 40 MPH OR LESS)

 \bigcirc

FILE NAME	P:\454302\DESIGN\2021 Desig	n\XL 6463 Hardware Upgrade\CAD_Sheets\410-WZTCPla	n\XL6463_PS	_TC.d	gn		
TIME	11:06:40 AM				REGION NO.	STATE	FED.AID PROJ.NO.
DATE	6/2/2022					WASH	SEC164-9999(871)
PLOTTED BY	lundj				10	WASH	
DESIGNED BY	T. DELLINGER					UMBER	
ENTERED BY	D. KEEN				22Y	006	
CHECKED BY	P. CRANE				CONTR	ACT NO.	LOCATION NO.
PROJ. ENGR.	J. WOOD						
REGIONAL ADM.	T. TREPANIER	REVISION	DATE	BY			

Washington State **Department of Transportation** DATE

I-90 ET AL SCR REGION WIDE -ROADSIDE HADWARE PRESERVATION TRAFFIC CONTROL PLAN

Plot 9 PLAN REF NO TC9 31 31